

Flanged Resilient Seated Gate Valve - SABS 664

Description	Size	Stock Code	Weight- kg PN16/PN25	PN16	PN25	Handwheel
Flanged Resilient Seated Gate Valve Non Rising Spindle Fusion Bonded Epoxy Powder Coated EPDM Rubber Lined SGI Gate Drilled BS10: TD or Blank Right Hand or Left Hand Closing	DN50	RSV050RHC	12 / 12			
	DN80	RSV080RHC	17 / 17			
	DN100	RSV100RHC	21 / 23			
	DN150	RSV150RHC	36 / 40			
	DN200	RSV200RHC	56 / 65			
	DN250	RSV250RHC	90 / 100			
	DN300	RSV300RHC	119 / 140			
	DN350	RSV350RHC	193			
	DN400	RSV400RHC	246		-	
	DN450	RSV450RHC	328		-	
	DN500	RSV500RHC	414		-	
(SABS 665 pattern. Check data sheet.)	DN600	RSV600RHC c/w GBX			-	-
* RSV Gearbox*	450/500	RSVGBX	23		-	-



Click on Pictures
for Data Sheet

Socketed Resilient Seated Gate Valve - SABS 664

Description	Size	Stock Code	Weight- kg	Handwheel
Socket Resilient Seated Gate Valve Non Rising Spindle Fusion Bonded Epoxy Powder Coated EPDM Rubber Lined SGI Gate Right Hand or Left Hand Closing	DN40-50	RSV SOC RHC 040	6	
	DN50-63	RSV SOC RHC 050	7.5	
	DN65-75	RSV SOC RHC 065	9.5	
	DN80-90	RSV SOC RHC 080	12.5	
	DN100-110	RSV SOC RHC 100	16	
	DN150-160	RSV SOC RHC 150	30	
	DN200-200	RSV SOC RHC 200	49	
	DN250-250	RSV SOC RHC 250	81	



Plain End Resilient Seated Gate Valve

Description	Size	Stock Code	Weight- kg	Handwheel
Plain end RSV , Non Rising Spindle Fusion Bonded Epoxy Powder Coated EPDM Rubber Lined SGI Gate Right Hand or Left Hand Closing	DN50	RSVPE050RHC	7	
	DN80	RSVPE080RHC	11	
	DN100	RSVPE100RHC	15	
	DN150	RSVPE150RHC	30	
	DN200	RSVPE200RHC	51	
	DN250	RSVPE250RHC		



Locally Manufactured Flanged Resilient Seated Gate Valve - PN16

Description	Size	Stock Code	Weight-kg	Handwheel
Flanged Resilient Seated Gate Valve Non Rising Spindle Fusion Bonded Epoxy Powder Coated EPDM Rubber Lined SGI Gate Drilled BS4504: T10, T16 Drilled BS10: TD or Blank Right Hand or Left Hand Closing BODY CAST IN SOUTH AFRICA	DN50	RSVL 050 RHC	12	
	DN80	RSVL 080 RHC	17	
	DN100	RSVL100 RHC	20	
	DN150	RSVL150 RHC	36	
	DN200	RSVL200 RHC	56	
	DN250	RSVL250 RHC	89	
	DN300	RSVL 300 RHC	120	



Resilient Seated Gate Valve - Rising Spindle - SABS 665

Description	Size	Stock Code	Weight- kg	
Flanged Resilient Seated Gate Valve Rising Spindle Fusion Bonded Epoxy Powder Coated NBR Lined SGI Gate Drilled T16,T10: TD or Blank	50mm	RSVR050	13.5	
	65mm	RSVR065	14	
	80mm	RSVR080	20.5	
	100mm	RSVR100	24	
	150mm	RSVR150	41.5	
	200mm	RSVR200	71	
	250mm	RSVR250	101	
	300mm	RSVR300	139	
	350mm	RSVR350	201	
	400mm	RSVR400	247	
	450mm	RSVR450	340	
	500mm	RSVR500	690	
	600mm	RSVR600	830	



Flanged Wedge Gate Valve - PN16 / PN25 - SABS 664

Description	Size	Stock Code	Weight- kg	PN 16	PN 25	Handwheel
Non rising spindle Left or Right hand closing FBE coated	50mm	WG050RHC16	13 / 13			
	80mm	WG080RHC16	20 / 20			
	100mm	WG100RHC16	24 / 25			
	150mm	WG150RHC16	42 / 45			
	200mm	WG200RHC16	67 / 70			



Wedge Gate Valve Industrial Pattern -Non Rising Spindle - PN 10

Description	Size	Stock Code	Weight- kg	
Industrial pattern BS3464 wedge gate valve PN10 Non rising spindle Right Hand or Left Hand Closing	50mm	WG-IP-NRRHC-050	14	
	65mm	WG-IP-NRRHC-065	17	
	80mm	WG-IP-NRRHC-080	20	
	100mm	WG-IP-NRRHC-100	28	
	125mm	WG-IP-NRRHC-125	39	
	150mm	WG-IP-NRRHC-150	51	
	200mm	WG-IP-NRRHC-200	79	
	250mm	WG-IP-NRRHC-250	136	
	300mm	WG-IP-NRRHC-300	185	



Wedge Gate Valve Industrial Pattern - Rising Spindle - PN 10

Description	Size	Stock Code	Weight- kg	
Industrial pattern BS3464 wedge gate valve PN10 Rising spindle Right Hand or Left Hand Closing	50mm	WG-IP-R-RHC-050	14	
	65..	WG-IP-R-RHC-065	20	
	80mm	WG-IP-R-RHC-080	24	
	100mm	WG-IP-R-RHC-100	33	
	125mm	WG-IP-R-RHC-125	39	
	150mm	WG-IP-R-RHC-150	61	
	200mm	WG-IP-R-RHC-200	79	
	250mm	WG-IP-R-RHC-250	136	
	300mm	WG-IP-R-RHC-300	205	



Standard Valve Box & T - Key

Description	Size	Stock Code	Weight- kg	
Standard Valve Box PVC	150mm	PVC150VLVB	1	
T-Key	50- 250mm	HT050	5	
STD Length 1.5 meters	300-450mm	HT300	8	



Fire Hydrants

Underground Fire Hydrants

Description	Size	Stock Code	Weight- kg	
Bayonet Tamper proof	80mm	UFH-BAY	9.5	
London Round Tamper proof	80mm	UFH-LR	9	
London Vee Tamper proof	80mm	UFH-LV	9	
Top Access Fire Hydrant London Round	80mm	UFH-TA- LR	13	
Top Access Fire Hydrant London Vee	80mm	UFH-TA- LR	13	



Right Angle Above Ground Fire Hydrant (Tamper Proof)

Description	Size	Stock Code	Weight- kg	HW
Standard Single Lug Tamper Proof	80mm	UAFH-RA2-080	4.5	
Standard Double Lug Tamper Proof	80mm	UAFH-RAD2 - 080	4.5	
Shouldered Double Lug Tamper Proof	80mm	UAFH-RAD-080	5	
Flanged Mounted Fire Hydrant Single Lug	80mm	UAFHF-RA-080	5	
Storze 100mm Hydrant	100mm	UAFHS-RA-100	8.5	
Brass Single Lug Fire Hydrant - Handwheel	80mm	UAFH-RAB-080	4.5	----
Brass Single Lug Fire Hydrant -Tamper Proof	80mm	UAFU-RABTP-080	4.7	----
Full SS304 Double Lug Fire Hydrant PN25 with T-Key	80mm	UAFH-RAD3-080	4.7	----



Two-Port Booster with Brass Booster Connectors and Pressure Gauge

Description	Size	Stock Code	Weight- kg	
Two-Port Booster with Brass Booster Connectors and Pressure Gauge	80mm	UHMT080	27	
Two-Port Booster with Brass Booster Connectors and Pressure Gauge	100mm	UHMT100	32	
Brass Booster Connector	65 - 80	UFHB080	1.5	



2x Right Angle Hydrants fitted to pipe flanged T/16 with pressure gauge

Description	Size	Stock Code	Weight- kg	
2x Right Angle Hydrants fitted to pipe flanged T/16 with pressure gauge	80mm	UHMH080	33	
2x Right Angle Hydrants fitted to pipe flanged T/16 with pressure gauge	100mm	UHMH100	38	



Miscellaneous

Description	Size	Stock Code	Weight- kg	
Tee Key		UHKEY	1	
Stand Pipe with BSP outlet & flange *coloured to request*	80 x 1800mm	UHP-80-1800	10	



Variant Air Valves PN 16

Description	Size	Stock Code	Weight- kg	PN 16 Flanged	PN 16 Screwed
Variant Air Valves Flanged or Screwed PN 16	25mm	AV025	7.2		
	50mm	AV050	9.6		
	80mm	AV080	24		---
	100mm	AV100	24		---
	150mm	AV150	74		---
	200mm	AV200	118		---



Variant Air Valves PN 25 & PN 40

Description	Size	Stock Code	Weight- kg	PN 25 Flanged	PN 40 Flanged
Variant Air Valves Flanged PN 25 PN 40	25mm	AV025	7.2		
	50mm	AV050	9.6		
	80mm	AV080	24		
	100mm	AV100	24		
	150mm	AV150	74		
	200mm	AV200	118		



Variant Air Valves for Sewage

Description	Size	Stock Code	Weight- kg	
Variant Air Valves For Sewage Flanged PN16	50mm	AVLS050F16	22	
	80mm	AVLS080F16	38	
	100mm	AVLS100F16	55	
	150mm	AVLS150F16	102	
	200mm	AVLS200F16		



Dewatering Valve

Description	Size	Stock Code	Weight- kg	
Dewatering Valve	50mm	AVDW050		

Y-Pattern Control Valve

Description	Size	Stock Code	Weight- kg	PN16
Y-Pattern Control Valve Pressure Reducing Valve PN16	DN50	CVAPRV050	13	
	DN80	CVAPRV080	25	
	DN100	CVAPRV100	37	
	DN150	CVAPRV150	78	
	DN200	CVAPRV200	140	



+ Accessories (Add accessory price to the valve price if required.)

V-Port Plug Only	DN50	CVAVPP050		
	DN80	CVAVPP080		
	DN100	CVAVPP100		
	DN150	CVAVPP150		
	DN200	CVAVPP200		



Ball Float Valve Modulating Level Control 4-Way Bi-Level Control 4/3 Brass Pilot	CVABFV		
	CVAFLBIL		

Shouldered Resilient Seated Gate Valve - Rising Spindle

Description	Size	Stock Code	Weight- kg	
Resilient Seated Gate Valve Rising Spindle, Shouldered	50mm	RSVR-SHOUL-050	8	
	80mm	RSVR-SHOUL-080	20	
	100mm	RSVR-SHOUL-100	16	
	150mm	RSVR-SHOUL-150	29	
	200mm	RSVR-SHOUL-200	55	
	250mm	RSVR-SHOUL-250	120	



Shouldered / Grooved Butterfly Valve - Rubber Lined Disc

Description	Size	Stock Code Shouldered	Stock Code Grooved	Weight- kg	Gearbox
DI Body, EPDM Encapsulated Disc Lever Handle	50mm	BVSH-050	BVSG-050	3	
	80mm	BVSH-080	BVSG-080	4	
	100mm	BVSH-100	BVSG-100	6.5	
	150mm	BVSH-150	BVSG-150	11	
	200mm	BVSH-200	BVSG-200	20	



Shouldered Non Return Valve

Description	Size	Stock Code	Weight- kg	
DI Body 316 S/S Door PN20 EPDM Seat	50mm	NRVSH-050	1	
	100mm	NRVSH-100	4	
	150mm	NRVSH-150	11	
	200mm	NRVSH-200	19	



Shouldered Flexible Coupling

Description	Size	Stock Code	Weight- kg	Painted	Galvanised
Shouldered Coupling	50mm	FVSH050	1.06		
	80mm	FVSH080	1.44		
	100mm	FVSH100	2.2		
	150mm	FVSH150	3.44		
	200mm	FVSH200	6.7		
	250mm	FVSH250	7.7		
	300mm	FVSH300	9		
Heavy Duty Shouldered Coupling	150mm	FVSHHD150			
	200mm	FVSHHD200			
	250mm	FVSHHD250			
	300mm	FVSHHD300			



Screwed Diaphragm Valve

Description	Size	Stock Code	Weight - kg	
Weir type screwed Diaphragm Valve	20mm	DVSC020	1,5	
	25mm	DVSC025	2	
	50mm	DVSC050	5	



Flanged Diaphragm Valve

Description	Size	Stock Code	Weight- kg	
Straight Through Diaphragm Valve - Soft Rubber Lined Natural Rubber Diaphragm * Spare Diaphragms available*	50mm	DVRL050	9,5	
	80mm	DVRL080	18	
	100mm	DVRL100	22,5	
	150mm	DVRL150	49,5	
	200mm	DVRL200	78,5	



Butterfly Valve Wafer Nickel Plated Disc -PN16 Pinned

Description	Size	Stock Code	Weight- kg	
Butterfly Valve Wafer	50mm	BVDIN -050	2.5	
Nickel Plated Disc Lever Handle	65mm	BVDIN-065	3	
Cast Iron Body	80mm	BVDIN-080	3.5	
EPDM Liner	100mm	BVDIN-100	5	
	125mm	BVDIN-125	6.5	
	150mm	BVDIN-150	7.5	
	200mm	BVDIN-200	13.5	
	250mm	BVDIN-250	19	
Butterfly Valve Wafer	300mm	BVDIN-300	39.5	
Nickel Plated Disc Gear Box Operated	350mm	BVDIN-350	48	
Gearbox incl in (300mm - 1000mm)	400mm	BVDIN-400	75	
Cast Iron Body	450mm	BVDIN-450	91	
EPDM Liner	500mm	BVDIN-500	138	
	600mm	BVDIN-600	240	
	700mm - 1000mm	BVDIN-700/1000	-	P.O.R



Butterfly Valves Wafer Type 316SS Disc-PN16 Pinned

Description	Size	Stock Code	Weight- kg	
Butterfly Valve Wafer	50mm	BVSSS-050	2.5	
316SS Disc Lever Handle	65mm	BVSSS-065	3	
Cast Iron Body	80mm	BVSSS-080	3.5	
EPDM Liner	100mm	BVSSS-100	5	
Pinless	125mm	BVSSS-125	6.5	
	150mm	BVSSS-150	7.5	
	200mm	BVSSS-200	13.5	
Pinned	250mm	BVSS-250	19	
Butterfly Valve Wafer	300mm	BVSS-300	39.5	
316SS Disc Gear Box Operated	350mm	BVSS-350	48	
Gearbox incl in (300 mm - 700mm)	400mm	BVSS-400	75	
Cast Iron Body	450mm	BVSS-450	91	
EPDM Liner	500mm	BVSS-500	138	
Pinned	600mm	BVSS-600	240	
	700mm	BVSS-700	-	P.O.R



Gearbox for Butterfly Valve Wafer type

Description	Size	Stock Code	Weight- kg	
Gearboxes - Cast Iron Body	50mm	BVGBX050	3.5	
	65mm	BVGBX065		
	80mm	BVGBX080		
	100mm	BVGBX100		
	150mm	BVGBX150		
	200mm	BVGBX200	7.5	
	250mm	BVGBX250		
	300mm	BVGBX300	9	
	350mm	BVGBX350		
	400mm	BVGBX400	20.5	
	450mm	BVGBX450		
	500mm	BVGBX500		
	600mm	BVGBX600	46.5	
	700mm	BVGBX700	66.5	



Butterfly Valve Wafer Type, 304 Stainless Steel Disc Pinned

Description	Size	Stock Code	Weight- kg	
Butterfly Valve Wafer	50mm	BVS050	2.5	
304SS Disc Lever Handle	65mm	BVS065	3	
Cast Iron Body	80mm	BVS080	3.5	
EPDM Liner	100mm	BVS100	5	
	125mm	BVS125	6.5	
	150mm	BVS150	7.5	
	200mm	BVS200	13.5	
	250mm	BVS250	19	
304SS Disc Gear Box Operated	300mm	BVS300	39.5	
Gearbox incl in	350mm	BVS350	48	
(300mm - 500mm)	400mm	BVS400	75	
	450mm	BVS450	91	
	500mm	BVS500	138	



Butterfly Valve Wafer Type, 316SS disc, Pinless - PN25

Description	Size	Stock Code	Weight- kg	
Butterfly Valve	50mm	BVSSEX050	2.5	
316 Disc, Ductile Iron Body, Pinless	80mm	BVSSEX080	3.2	
EPDM Liner	100mm	BVSSEX100	3.6	
	150mm	BVSSEX150	7.5	
	200mm	BVSSEX200	13.5	



UPVC Butterfly Valves

Description	Size	Stock Code	Weight- kg	
Butterfly Valves	50mm	BVXSS-050	1.04	
Lever Handle	65mm	BVXSS-065	1.21	
	80mm	BVXSS-080	1.58	
	100mm	BVXSS-100	2.18	
	125mm	BVXSS-125	3.92	
	150mm	BVXSS-150	4.54	
	200mm	BVXSS-200	7.32	
	250mm	BVXSS-250	11.05	
Gearbox (Incl in	300mm	BVXSS-300	15.59	



SOLID PTFE Butterfly Valves

Description	Size	Stock Code	Weight- kg	
SOLID PTFE Butterfly Valves	50mm	BVP-050	3	
Lever Handle	65mm	BVP-065	3.4	
	80mm	BVP-080	4	
	100mm	BVP-100	5.1	
	125mm	BVP-125	8	
	150mm	BVP-150	8.5	
	200mm	BVP-200	14	
	250mm	BVP-250	2.5	
SOLID PTFE Butterfly Valves	300mm	BVP-300	52	
Gearbox (Incl in	350mm	BVP-350	58	
	400mm	BVP-400	120	



Butterfly Valves Wafer 316 Stainless Steel Body. (Spline Shaft) EPDM Or NBR Liner-PN16

Description	Size	Stock Code	Weight- kg	
Butterfly Valves Wafer 316 Stainless Steel Body Spline Shaft EPDM Or NBR Liner-PN16 Lever Handle	50mm	BVSSF-050	2.5	
	65mm	BVSSF-065	3	
	80mm	BVSSF-080	3.5	
	100mm	BVSSF-100	5	
	125mm	BVSSF-125	6.5	
	150mm	BVSSF-150	7.5	
	200mm	BVSSF-200	13.5	
	250mm	BVSSF-250	19	
Butterfly Valves Wafer 316 Stainless Steel Body Gear Box	300mm	BVSSF-300	39.5	
	350mm	BVSSF-350	48	
	400mm	BVSSF-400	75	



Butterfly Valves Wafer 316 Stainless Steel Body & Disc (Spline Shaft) PTFE Liner-PN16

Description	Size	Stock Code	Weight- kg	
Butterfly Valves Wafer 316 Stainless Steel Body & Disc Spline Shaft PTFE Liner-PN16 Lever Handle	50mm	BVSFP-050	2.5	
	65mm	BVSFP-065	3	
	80mm	BVSFP-080	3.5	
	100mm	BVSFP-100	5	
	125mm	BVSFP-125	6.5	
	150mm	BVSFP-150	7.5	
	200mm	BVSFP-200	13.5	
	250mm	BVSFP-250	19	
Butterfly Valves Wafer 316 Stainless Steel Body & Disc Gear Box	300mm	BVSFP-300	39.5	
	350mm	BVSFP-350	48	
	400mm	BVSFP-400	75	



Double Eccentric Flanged Butterfly Valves

Description	Size	Stock Code	Weight- kg	PN 16 List	PN 25 List
Body & Disc in Ductile Iron, EPOXY Coated, Seat Ring 304SS Gear Box Operated	100mm	BVFD-DN100	21.5		-
	150mm	BVFD-DN150	36		
	200mm	BVFD-DN200	47		
	250mm	BVFD-DN250	60		
	300mm	BVFD-DN300	104		
	350mm	BVFD-DN350	116		
	400mm	BVFD-DN400	132		
	450mm	BVFD-DN450	170		
	500mm	BVFD-DN500	224		
	600mm	BVFD-DN600	353		
	700mm	BVFD-DN700	496		
	750mm	BVFD-DN750	565		POR
	800mm	BVFD-DN800	631	POR	POR
	900mm	BVFD-DN900	835	POR	POR
	1000mm	BVFD-DN1000	1100	POR	POR
Slipping Clutch for Double Eccentric Butterfly Valve Gearbox (Add price to valve price)					-



r Butterfly Valves

Description	Size	Stock Code	Weight- kg	
Butterfly Wafer Valve, Tungsten Carbide Coated Disc, Polyurethane Liner, 50mm to 250mm Lever Handle Op	50mm	BVTCLPU 050	2.50	
	65mm	BVTCLPU 065	3.00	
	80mm	BVTCLPU 080	3.50	
	100mm	BVTCLPU 100	5.00	
	125mm	BVTCLPU 125	6.50	
	150mm	BVTCLPU 150	7.50	
	200mm	BVTCLPU 200	13.50	
	250mm	BVTCLPU 250	19.00	
Gearbox Operated (Incl in	300mm	BVTCLPU 300	39.50	



Pneumatic Actuators

Description	Valve Size	BV Torque	Double Acting	Spring Return	Mounting Bracket	Square Shaft
Pneumatic Actuators Size for Butterfly Valves	50mm	17	VT065D	VT075S		
	65mm	30	VT065D	VT095S		
	80mm	39	VT075D	VT110S		
	100mm	62	VT085D	VT125S		
	125mm	95	VT095D	VT140S		
	150mm	138	VT110D	VT160S		
	200mm	226	VT125D	VT190S		
	250mm	360	VT125D	VT210S		



PTFE F4 (Teflon) Liners Working Temp + 10 to + 150 deg C

Description	Size	Stock Code	
PTFE Liners Working Temp + 10°C to + 150°C	50mm	LPTFE050	
	65mm	LPTFE065	
	80mm	LPTFE080	
Natural Rubber +10°C to + 80°C	100mm	LPTFE100	
	125mm	LPTFE125	
	150mm	LPTFE150	
Silicone -65°C to +220°C	200mm	LPTFE200	
	250mm	LPTFE250	
	300mm	LPTFE300	
	350mm	LPTFE350	
	400mm	LPTFE400	




Viton (X7), EPDM & NBR Liner

Description	Size	Weight- kg	Viton (X7)		EPDM & NBR	
			Stock Code		Stock Code	
Viton (X7) Working Temp -23°C to +294°C	50mm	0.13	LVIT050		LEPDM050	
	65mm	0.17	LVIT065		LEPDM065	
	80mm	0.22	LVIT080		LEPDM080	
EPDM & NBR - Spare Liner EPDM -50° to + 135°C	100mm	0.41	LVIT100		LEPDM100	
	125mm	0.58	LVIT125		LEPDM125	
	150mm	0.66	LVIT150		LEPDM150	
NBR -40°C to +93°C	200mm	1.00	LVIT200		LEPDM200	
	250mm	1.60	LVIT250		LEPDM250	
	300mm	2.20	LVIT300		LEPDM300	
	350mm	2.40	LVIT350		LEPDM350	
	400mm	6.20	LVIT400		LEPDM400	



Double Door Wafer Check Valves (Non Return) Nickel Plated Doors (C.I. Body FBE Coated) - PN16

Description	Size	Stock Code	Weight- kg	
Double Door Wafer Check	40mm	NRVDIN-040	1	
Nickel Plated Disc	50mm	NRVDIN-050	1.5	
NBR Seat	65mm	NRVDIN-065	2	
	80mm	NRVDIN-080	3.5	
	100mm	NRVDIN-100	4	
	125mm	NRVDIN-125	6.5	
	150mm	NRVDIN-150	7.5	
	200mm	NRVDIN-200	14.5	
	250mm	NRVDIN-250	26	
	300mm	NRVDIN-300	35	
	350mm	NRVDIN-350	55	
	400mm	NRVDIN-400	72.5	
	450mm	NRVDIN-450	80.5	
	500mm	NRVDIN-500	124	
	600mm	NRVDIN-600	187	



Double Door Wafer Check Valve (Non Return) 316SS Doors (C.I. Body FBE Coated) PN16

Description	Size	Stock Code	Weight- kg	
Double Door Wafer Check	40mm	NRVSS-040	1	
Stainless Steel Disc	50mm	NRVSS-050	1.5	
NBR Seat	65mm	NRVSS-065	2	
	80mm	NRVSS-080	3.5	
	100mm	NRVSS-100	4	
	125mm	NRVSS-125	6.5	
	150mm	NRVSS-150	7.5	
	200mm	NRVSS-200	14.5	
	250mm	NRVSS-250	26	
	300mm	NRVSS-300	35	
	350mm	NRVSS-350	55	
	400mm	NRVSS-400	72.5	
	450mm	NRVSS-450	80.5	
	500mm	NRVSS-500	124	
	600mm	NRVSS-600	187	



Foot Valve PN16

Description	Size	Stock Code	Weight- kg	CI NRV NP Disc	CI NRV SS Disc
Flanged Foot Valve with Non Return	80mm	VFBGDIN-080	6		
CI Body, NP Doors and a Galvanised	100mm	VFBGDIN-100	8.7		
Steel Basket	150mm	VFBGDIN-150	11.3		
Non Return Wafer CI Body,	200mm	VFBGDIN-200	14.3		
SS Doors and a Galvanised	250mm	VFBGDIN-250	25		
Steel Basket	300mm	VFBGDIN-300	37		



Single Door Wafer Check Valve (Non Return) 316SS Door (C.I. Body FBE Coated) PN16

Description	Size	Stock Code	Weight- kg	
Wafer Single Door Check Valve NBR Seat	50mm	NRVSDW-050	1.50	
	65mm	NRVSDW-065	2.00	
	80mm	NRVSDW-080	3.00	
	100mm	NRVSDW-100	4.50	
	125mm	NRVSDW-125	6.00	
	150mm	NRVSDW-150	10.00	
	200mm	NRVSDW-200	12.00	
	250mm	NRVSDW-250	24.00	
	300mm	NRVSDW-300	26.50	



Full Stainless Steel Double Door Wafer Check Valve-PN25

Description	Size	Weight- kg	Double Door Stock Code	Single Door Stock Code	
Full Stainless Steel Double Door Wafer Check Valve Viton Seat	50mm	1.5	NRVFSS-050	NRVSDWS-050	
	65mm	2.4	NRVFSS-065	NRVSDWS-065	
	80mm	3.6	NRVFSS-080	NRVSDWS-080	
	100mm	5.7	NRVFSS-100	NRVSDWS-100	
Full Stainless Steel Single Door Wafer Check Valve Viton Seat	125mm	7.3	NRVFSS-125	NRVSDWS-125	
	150mm	9	NRVFSS-150	NRVSDWS-150	
	200mm	17	NRVFSS-200	NRVSDWS-200	
	250mm	26	NRVFSS-250	NRVSDWS-250	
	300mm	35	NRVFSS-300	NRVSDWS-300	
	350mm	55	NRVFSS-350	---	
	400mm	75	NRVFSS-400	---	



Single Door Non Return Valve Cast Steel Body Nickel Plated Finish & EPDM O Ring, PN16

Description	Size	Stock Code	Weight- kg	
Single Door Non Return Nickel Plated Finish NBR Seat	50mm	NRV-SDS-NP-050	1.00	
	65mm	NRV-SDS-NP-065	1.00	
	80mm	NRV-SDS-NP-080	1.00	
	100mm	NRV-SDS-NP-100	1.50	
	125mm	NRV-SDS-NP-125	2.50	
	150mm	NRV-SDS-NP-150	4.00	
	200mm	NRV-SDS-NP-200	7.00	
	250mm	NRV-SDS-NP-250	12.50	



Single Door Non Return Valve 316SS Body With Viton O Ring, PN16

Description	Size	Stock Code	Weight- kg	
Single Door Non Return 316 Stainless Steel Body Viton Seat	50mm	NRV-SDS-SS -050	1.00	
	65mm	NRV-SDS-SS -065	1.00	
	80mm	NRV-SDS-SS -080	1.00	
	100mm	NRV-SDS-SS -100	1.50	
	125mm	NRV-SDS-SS -125	2.50	
	150mm	NRV-SDS-SS -150	4.00	
	200mm	NRV-SDS-SS -200	7.00	
	250mm	NRV-SDS-SS -250	12.50	



Flanged Swing Check Valve, Gate Rubber Encapsulated

Description	Size	Stock Code	Weight-kg	PN16	With Counter Weight PN16	PN25	With Counter Weight PN25
Rubber Encapsulated Non Return Valve Swing Check	50mm	NRFRD050	8				
	65mm	NRFRD065	11				
	80mm	NRFRD080	13				
	100mm	NRFRD100	16				
	150mm	NRFRD150	27				
	200mm	NRFRD200	50				
	250mm	NRFRD250	90				
	300mm	NRFRD300	119				



Dynamic Strainer

Description	Size	Stock Code	Weight-kg	Strainer Price	+ N/R Price	Basket Price
Flanged Type with Non Return	50mm	STRD 050	8.5		+ R405	+ R570
	80mm	STRD 080	15		+ R405	+ R570
	100mm	STRD 100	19		+ R405	+ R570




Flanged Y Strainer

Description	Size	Stock Code	Weight- kg	
Ductile Iron Y Strainer Stainless Steel Screen	50mm	STR050	7	
	65mm	STR065	9	
	80mm	STR080	12	
	100mm	STR100	15	
	125mm	STR125	26	
	150mm	STR150	30	
	200mm	STR200	48	
	250mm	STR250	96	
	300mm	STR300	145	



Equilibrium Float Valve

Description	Size	Stock Code	Weight- kg	
Equilibrium Float Valve	50mm	EFT050	17	
	80mm	EFT080	22	
	100mm	EFT100	25	
	150mm	EFT150	47	



Expansion Joints - Flexible Couplings

Description	Size	Stock Code	Weight- kg	PN10 / PN16	
Flanged Rubber Bellows Single Sphere EPDM 1600/3 and 1000/3	50mm	RB050T16	5.5		
	65mm	RB065T16	6.7		
	80mm	RB080T16	7.7		
	100mm	RB100T16	9.4		
	125mm	RB125T16	12.7		
	150mm	RB150T16	15.8		
	200mm	RB200T16	20		
	250mm	RB250T16	20		
	300mm	RB300T16	20		
				PN10	PN16
	350mm	RB350T16	38.5		
	400mm	RB400T16	43		



Worx Wafer Type Knife Gate Valve, Soft Rubber Lined WCB Body, 304SS Disc, NBR Seat, PN10

Description	Size	Stock Code	Weight Valve/ Actuator - kg	Bareshaft	Handwheel Operated	Pneumatic Operated
Knife Gate Valve, Soft Rubber Lined, WCB Body, 304SS Disc, NBR Seat, PN10	DN50	KGVRL050	12/4.5			
	DN80	KGVRL080	16/6			
	DN100	KGVRL100	20/8			
	DN125	KGVRL125	27/10			
	DN150	KGVRL150	33/13			
	DN200	KGVRL200	53/19			
	DN250	KGVRL250	77/26			
	DN300	KGVRL300	94/34			
	DN350	KGVRL350	141/48			
	DN400	KGVRL400	195/210			
	DN450	KGVRL450	263/320			
	DN500	KGVRL500	309/334			
	DN600	KGVRL600	440/340			



Worx Wafer Type Knife Gate Valve, Polyurethane Lined WCB Body, PN10

Description	Size	Stock Code	Weight Valve/ Actuator - kg	Bareshaft	Handwheel Operated	Pneumatic Operated
Type Knife Gate Valve, Polyurethane Lined WCB Body, PN10	DN50	KGVP050	12/4.5			
	DN80	KGVP080	16/6			
	DN100	KGVP100	20/8			
	DN150	KGVP150	33/13			
	DN200	KGVP200	53/19			
	DN250	KGVP250	77/26			
	DN300	KGVP300	94/34			
	DN350	KGVP350	141/48			
	DN400	KGVP400	195/210			
	DN450	KGVP450	263/320			
	DN500	KGVP500	309/334			
	DN600	KGVP600	440/340			



Worx Flanged Type Knife Gate Valve, WCB Body, Replaceable Natural Rubber Sleeves, PN10

Description	Size	Stock Code	Weight Valve/ Actuator - kg	Bareshaft	Handwheel Operated	Pneumatic Operated
Knife Gate Valve, SG Iron Body, Replaceable Natural Sleeve, PN10	DN80	KGVFL080	25/5.5			
	DN100	KGVFL100	32/7			
	DN150	KGVFL150	55/9.5			
	DN200	KGVFL200	88/15			
	DN250	KGVFL250	98/21			
	DN300	KGVFL300	130/30			
	DN350	KGVFL350	186/38			
	DN400	KGVFL400	248/49			



Knife Gate Valve - Standard Pattern

Description	Size	Stock Code	Valve Weight- kg	Actuator Weight-kg	Handwheel Operated	Pneumatic Operated
Knife Gate Valve, Ductile Iron Body, FBE Coated, 304SS Gate, NBR Seat	50mm	KGV050	8	4.5		
	65mm	KGV065	10	5		
	80mm	KGV080	11	5		
	100mm	KGV100	23	5.5		
	125mm	KGV125	25	7.5		
	150mm	KGV150	35	7.5		
	200mm	KGV200	45	10		
	250mm	KGV250	68	16		
	300mm	KGV300	155	22		



Knife Gate Valve - Polyurethane Deflectors

Description	Size	Stock Code	Valve Weight- kg	Actuator Weight-kg	Handwheel Operated	Pneumatic Operated
Knife Gate Valve, Ductile Iron Body, FBE Coated, 304SS Gate, NBR Seat, Polyurethane Deflectors	50mm	KGVP050	8	4.5		
	65mm	KGVP065	10	5		
	80mm	KGVP080	11	5		
	100mm	KGVP100	23	5.5		
	125mm	KGVP125	25	7.5		
	150mm	KGVP150	35	7.5		
	200mm	KGVP200	45	10		
	250mm	KGVP250	68	16		
	300mm	KGVP300	155	22		



Gaskets

Description	Size	Econo F/F	Econo Ring	Rubber F/F	Rubber Ring
Econo Full Face Gasket	50mm				
Econo Ring Gasket	80mm				
Rubber Full Face Gasket	100mm				
Rubber Ring Gasket	150mm				
	200mm				
	250mm				
	300mm				
	350mm				
	400mm				



HDG Bolts, Nut and 2 Washers for Valve installations

Description	Size	Table D	Table 10	Table 16
HDG Bolts, Nut, 2 Washers set - per flange	50mm	4 - M16 x 60	4 - M16 x 60	4 - M16 x 60
	80mm	4 - M16 x 60	8 - M16 x 60	8 - M16 x 60
	100mm	4 - M16 x 65	8 - M16 x 65	8 - M16 x 65
	150mm	8 - M16 x 75	8 - M20 x 75	8 - M20 x 75
	200mm	8 - M16 x 75	8 - M20 x 75	12 - M20 x 75
	250mm	8 - M20 x 90	12 - M20 x 90	12 - M24 x 90
	300mm	12 - M20 x 90	12 - M20 x 90	12 - M24 x 90
	350mm	-	16 - M20 x 100	16 - M20 x 100
	400mm	-	16 - M24 x 110	16 - M24 x 110

1-Piece Reduced Bore Ball Valve, Lockable, Stainless Steel Body and Ball, PTFE Seat, Screwed BSP, 1000 WOG

Description	Size	Stock Code	SS316/CF8M	Weight - KG
1-Piece Reduced Bore Ball Valve, Stainless Steel Body and Ball, PTFE Seat, Screwed BSP, 1000 WOG	DN15	BBVSS1PC015		0,16
	DN20	BBVSS1PC020		0,26
	DN25	BBVSS1PC025		0,33
	DN32	BBVSS1PC032		0,54
	DN40	BBVSS1PC040		0,71
	DN50	BBVSS1PC050		1,04
	DN65	BBVSS1PC065		
	DN80	BBVSS1PC080		



2-Piece Full Bore Ball Valve, Lockable, Stainless Steel Body and Ball, PTFE Seat, Screwed BSP, 1000 WOG

Description	Size	Stock Code	SS316/CF8M	Weight - KG
2-Piece Full Bore Ball Valve Stainless Steel Body and Solid Ball PTFE Seat, Screwed BSP, 1000WOG	DN15	BBS2PCS015		0,25
	DN20	BBS2PCS020		
	DN25	BBS2PCS025		0,57
	DN32	BBS2PCS032		
	DN40	BBS2PCS040		
	DN50	BBS2PCS050		1,00
	DN80	BBS2PCS080		



3-Piece Full Bore Ball Valve, Lockable, Stainless Steel Body and Ball, PTFE Seat, Screwed BSP, 1000 WOG

Description	Size	Stock Code	SS316/CF8M	Weight - KG
3-Piece Full Bore Ball Valve Stainless Steel Body and Solid Ball PTFE Seat, Screwed BSP, 1000 WOG	DN15	BBVSS3PC015		0,33
	DN20	BBVSS3PC020		0,50
	DN25	BBVSS3PC025		0,78
	DN32	BBVSS3PC032		1,00
	DN40	BBVSS3PC040		1,50
	DN50	BBVSS3PC050		2,50
	DN65	BBVSS3PC065		
	DN80	BBVSS3PC080		7,00
	DN100	BBVSS3PC100		



2 - Piece Full Bore Ball Valve, Lockable, Stainless Steel Body and Ball, PTFE Seat, Flanged Class 150 with ISO Mounting Pad

Description	Size	Stock Code	SS316/CF8M	Weight - KG
2-Piece Full Bore Ball Valve, Stainless Steel Body and Solid Ball, PTFE Seat, Flanged Class 150, with ISO Mounting Pad Fire Safe available on request	DN25	BBVSS2CP025		3,00
	DN32	BBVSS2PC032		4,50
	DN40	BBVSS2PC040		6,50
	DN50	BBVSS2PC050		8,00
	DN65	BBVSS2PC065		12,50
	DN80	BBVSS2PC080		16,00
	DN100	BBVSS2PC100		21,50
	DN125	BBVSS2PC125	P.O.R.	
	DN150	BBVSS2PC150		44,50
	DN200	BBVSS2PC200	P.O.R.	



SGI Fittings for UPVC Pipe SABS APPROVED SANS 52854:2007
Flange Adaptors-PN16

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
50mm	2.50	FSGI-FA-050-UNI		FSGF-FA-050-UNI	
63mm	2.50	FSGI-FA-063-UNI		FSGF-FA-063-UNI	
75mm	2.50	FSGI-FA-075-UNI		FSGF-FA-075-UNI	
90mm	3.00	FSGI-FA-090-UNI		FSGF-FA-090-UNI	
110mm	4.00	FSGI-FA-110-UNI		FSGF-FA-110-UNI	
160mm	7.00	FSGI-FA-160-UNI		FSGF-FA-160-UNI	
200mm	12.50	FSGI-FA-200-UNI		FSGF-FA-200-UNI	
250mm	20.00	FSGI-FA-250-UNI		FSGF-FA-250-UNI	
315mm	28.00	FSGI-FA-315-UNI		FSGF-FA-315-UNI	



Equal Tee-PN25

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
63mm	2.50	FSGI-ET-063		FSGF-ET-063	
75mm	4.00	FSGI-ET-075		FSGF-ET-075	
90mm	5.50	FSGI-ET-090		FSGF-ET-090	
110mm	6.50	FSGI-ET-110		FSGF-ET-110	
160mm	14.00	FSGI-ET-160		FSGF-ET-160	
200mm	20.00	FSGI-ET-200		FSGF-ET-200	
250mm	30.50	FSGI-ET-250		FSGF-ET-250	




Straight Connector / Repair Coupling-PN25

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
63mm	1.50	FSGI-SC-063		FSGF-SC-063	
75mm	2.00	FSGI-SC-075		FSGF-SC-075	
90mm	3.00	FSGI-SC-090		FSGF-SC-090	
110mm	3.50	FSGI-SC-110		FSGF-SC-110	
160mm	6.50	FSGI-SC-160		FSGF-SC-160	
200mm	15.00	FSGI-SC-200		FSGF-SC-200	
250mm	19.00	FSGI-SC-250		FSGF-SC-250	



Scour Tee-PN16

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
110mm	10.50	FSGI-ST-110-UNI		FSGF-ST-110-UNI	
160mm	15.00	FSGI-ST-160-UNI		FSGF-ST-160-UNI	
200mm	19.50	FSGI-ST-200-UNI		FSGF-ST-200-UNI	
250mm	26.00	FSGI-ST-250-UNI		FSGF-ST-250-UNI	
315mm	36.00	FSGI-ST-315-UNI		FSGF-ST-315-UNI	



Hydrant Tee-PN25

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
75mm	7	FSGI-HT-075		FSGF-HT-075	
90mm	9	FSGI-HT-090		FSGF-HT-090	
110mm	9.5	FSGI-HT-110		FSGF-HT-110	
160mm	13.5	FSGI-HT-160		FSGF-HT-160	
200mm	17	FSGI-HT-200		FSGF-HT-200	
250mm	25	FSGI-HT-250		FSGF-HT-250	




SGI Fittings for UPVC Pipe SABS APPROVED SANS 52854:2007
Socketed Reducer-PN25

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
75-63mm	2	FSGI-SR-75-63		FSGF-SR-75-63	
90-63mm	2.5	FSGI-SR-90-63		FSGF-SR-90-63	
90-75mm	3	FSGI-SR-90-75		FSGF-SR-90-75	
110-75mm	3	FSGI-SR-110-75		FSGF-SR-110-75	
110-90mm	3.5	FSGI-SR-110-90		FSGF-SR-110-90	
160-90mm	5.5	FSGI-SR-160-90		FSGF-SR-160-90	
160-110mm	6	FSGI-SR-160-110		FSGF-SR-160-110	
200-110mm	9.5	FSGI-SR-200-110		FSGF-SR-200-110	
200-160mm	11	FSGI-SR-200-160		FSGF-SR-200-160	
250-160mm	13.5	FSGI-SR-250-160		FSGF-SR-250-160	
250-200mm	17	FSGI-SR-250-200		FSGF-SR-250-200	



Unequal Tee-PN25

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
75-50mm	3.5	FSGI-UT-75 - 50		FSGF-UT-75 - 50	
75-63mm	3.8	FSGI-UT-75 - 63		FSGF-UT-75 - 63	
90-63mm	4.5	FSGI-UT-90 - 63		FSGF-UT-90 - 63	
90-75mm	5	FSGI -UT-90- 75		FSGF -UT-90- 75	
110-63mm	6.5	FSGI-UT-110-63		FSGF-UT-110-63	
110-75mm	5.5	FSGI-UT-110-75		FSGF-UT-110-75	
110-90mm	5.5	FSGI-UT-110-90		FSGF-UT-110-90	
160-90mm	11	FSGI-UT-160-90		FSGF-UT-160-90	
160-110mm	11	FSGI-UT-160-110		FSGF-UT-160-110	
200-90mm	16.5	FSGI -UT-200-90		FSGF -UT-200-90	
200-110mm	16.5	FSGI-UT-200-110		FSGF-UT-200-110	
200-160mm	18.5	FSGI-UT-200-160		FSGF-UT-200-160	
250-160mm	31	FSGI-UT-250-160		FSGF-UT-250-160	
250-200mm	28.5	FSGI-UT-250-200		FSGF-UT-250-200	



End Caps-PN25

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
50mm	1	FSGI-EC-050		FSGF-EC-050	
63mm	1	FSGI-EC-063		FSGF-EC-063	
75mm	1	FSGI-EC-075		FSGF-EC-075	
90mm	2	FSGI-EC-090		FSGF-EC-090	
110mm	2	FSGI-EC-110		FSGF-EC-110	
160mm	4.5	FSGI-EC-160		FSGF-EC-160	
200mm	8	FSGI-EC-200		FSGF-EC-200	
250mm	11	FSGI-EC-250		FSGF-EC-250	
315mm	19	FSGI-EC-315		FSGF-EC-315	



SGI Fittings for UPVC Pipe SABS APPROVED SANS 52854:2007
Reducing Bush-PN25

Size	Weight- kg	Stock Code	Bitumen Dipped SG Iron	Stock Code	FBE Coated SG Iron
63-50	1.00	FSGI-RB-63-50		FSGF-RB-63-50	
75-50	2.00	FSGI-RB-75-50		FSGF-RB-75-50	
75 - 63	1.00	FSGI-RB-75-63		FSGF-RB-75-63	
90 - 63	2.50	FSGI-RB-90-63		FSGF-RB-90-63	
90 - 75	2.00	FSGI-RB-90-75		FSGF-RB-90-75	
110 - 63	5.00	FSGI-RB-110-63		FSGF-RB-110-63	
110 - 75	4.00	FSGI-RB-110-75		FSGF-RB-110-75	
110 - 90	3.00	FSGI-RB-110-90		FSGF-RB-110-90	
160 - 90	12.50	FSGI-RB-160-90		FSGF-RB-160-90	
160 - 110	10.00	FSGI-RB-160-110		FSGF-RB-160-110	
200 - 110	14.00	FSGI-RB-200-110		FSGF-RB-200-110	
200 - 160	13.00	FSGI-RB-200-160		FSGF-RB-200-160	
250 - 160	22.50	FSGI-RB-250-160		FSGF-RB-250-160	
250 - 200	21.00	FSGI-RB-250-200		FSGF-RB-250-200	



Pressure pipe socket GX Seals

Description	Size	Stock Code
Pressure pipe socket GX Seals	50-63mm	SRGX050-063
	65-75mm	SRGX065-075
	80-90mm	SRGX080-090
	100-110mm	SRGX100-110
	150-160mm	SRGX150-160
	200-200mm	SRGX200-200
	250-250mm	SRGX250-250
	300-315mm	SRGX300-315



Ductile Iron Duck Foot Bend FBE Coated

Size	Stock Code	Weight- kg
80mm	FSGF-DFB-080	15
100mm	FSGF-DFB-100	17.7



Ductile Iron Flanged Pipe FBE Coated

Size	Stock Code	Weight- kg
80mm x 300mm	FSGF-FP-080 -300	10.5
80mm x 500mm	FSGF-FP-080 -500	13.2
100mm x 300mm	FSGF-FP-100-300	13
100mm x 500mm	FSGF-FP-100-500	15.5



Universal Flange Adaptor

Stock Code	Pipe OD Range	PVC/ HDPE OD	Steel OD	A/C OD	Weight kg	List
TUF 0040	48-58mm	50	48.3		3.4	
TUF 0050	59-73mm	63	60.3	69	3.5	
TUF 0050-1	59-78mm			69	3.7	
TUF 0065	72-85mm	75	76.1	82	4.3	
TUF 0065-2	74-90mm	90	88.9		4.4	
TUF 0080	88-103mm			96	4.5	
TUF 0100	98-118mm	110	114.3		5	
TUF 0100-2	109-128mm	125		122	5.3	
TUF 0125	132-146mm	140	139.7		6.6	
TUF 0150	150-170mm	160	165.1		7.1	
TUF 0150-2	159-182mm			177	7.9	
TUF 0175	192-209mm	200		205	9.7	
TUF 0175-2	205-222mm		219.1		11	
TUF 0200	218-235mm			232	10.6	
TUF 0225	235-252mm	250	244		14.6	
TUF 0225-2	250-267mm			259	13.9	
TUF 0225-3	260-274mm		273		13.9	
TUF 0250	271-289mm			286	13.9	
TUF 0300	302-318mm	315			18	
TUF 0300-2	315-332mm		324		19.2	
TUF 0350	351-378mm	355	356		30.5	
TUF0350-1	344-360mm	355	356		24	
TUF 0400	391-407mm	400	406	399	35.4	
TUF0400-2	401-417mm				35.4	
TUF 0450	445-472mm	450	457	453	43.7	
TUF 0450-3	476-493mm				40.5	
TUF 0500	494-510mm	500	508	507	51.8	
TUF 0500-1	500-532mm		508	532	51.8	
TUF 0600	600-614mm		609		51.8	



Coupling

Stock Code	Pipe OD Range	PVC/ HDPE OD	Steel OD	A/C OD	Weight kg	List
TC 0040	48-58mm	50	48.3		3.2	
TC 0050	59-73mm	63	60.3	69	3.6	
TC 0050-2	59-78mm				3.8	
TC 0065	72-85mm	75	76.1	82	4.5	
TC 0065-2	74-90mm	90	88.9		4.8	
TC 0080	88-103mm			96	5	
TC 0100	98-118mm	110	114.3		5.7	
TC 0100-2	108-128mm	125		122	5.7	
TC 0125	132-146mm	140	139.7		7.5	
TC 0150	150-170mm	160	165.1		8.9	
TC 0150-2	158-181mm			177	8.9	
TC 0150-3	180-194mm		193.7		9	
TC 0175	192-209mm	200		205	9.7	
TC 0175-2	205-222mm		219.1		9.9	
TC 0200	218-235mm			232	10	
TC 0225	235-252mm	250	244		15	
TC 0225-2	250-267mm			259	15	
TC 0225-3	260-274mm		273		15.2	
TC 0225-4	265-280mm				15.3	
TC 0250	271-289mm			286	15.4	
TC 0250-2	286-304mm				20.6	
TC 0300	302-318mm	315			21.6	
TC 0300-2	315-332mm		324		22	
TC 0300-3	334-350mm			345	23.7	
TC 0350	351-378mm	355	356		24.5	
TC 350-1	344-360mm	355	356		24.5	
TC 0400	391-409mm	400	406	399	30	
TC 0400-2	401-417mm				29.4	
TC 0450	445-472mm	450	457	453	33.6	
TC 0500	494-510mm	500	508	507	38	
TC 0500-1	500-532mm		508	532	38	
TC 0600	600-614mm		609		38	



Step Coupling

Stock Code	Small End	Large End	Weight kg	List
TCS 0200	192-209mm	218-235mm	10.3	
TCS 0250	235-252mm	271-289mm	15.2	
TCS 0250-2	235-252mm	250-267mm	15.2	



Econo Under Ground Water Meter Box

Description	Size	Stock Code	
Econo Under Ground Water Meter Box (incl. meter)	15mm		
Econo Under Ground Water Meter Box (incl. meter)	20mm		



Above Ground Water Meter Box

Description	Size	Stock Code	
AGB Above Ground Water Meter Box (incl. meter)	15mm		
* All boxes fitted with SABS Approved Precision Meters *			
* KENT, SENSUS and other meters available on Request *			



Bulk Water Meters

Description	Size	Stock Code	
Flanged Bulk Water Meter T16	40mm	WM040	
Flanged Bulk Water Meter T16	50mm	WM050	
Flanged Bulk Water Meter T16	65mm	WM065	
Flanged Bulk Water Meter T16	80mm	WM080	
Flanged Bulk Water Meter T16	100mm	WM100	
Flanged Bulk Water Meter T16	150mm	WM150	
Flanged Bulk Water Meter T16	200mm	WM200	
Flanged Bulk Water Meter T16	250mm	WM250	
Flanged Bulk Water Meter T16	300mm	WM300	



Pipe Kits for Bulk Water Meters

Spool Piece 150mm Flanged T16

Description	Size	Stock Code	
Spool Piece 150mm Flanged T16	50mm	PSPOOL-050T16-1	
Spool Piece 150mm Flanged T16	80mm	PSPOOL-080T16-1	
Spool Piece 150mm Flanged T16	100mm	PSPOOL-100T16-1	



Spool Piece 250mm Flanged T16

Description	Size	Stock Code	
Spool Piece 250mm Flanged T16	50mm	PSPOOL-050-T16	
Spool Piece 250mm Flanged T16	80mm	PSPOOL-080-T16	
Spool Piece 250mm Flanged T16	100mm	PSPOOL-100-T16	



S Bends F T16

Description	Size	Stock Code	
S Bends Flanged T16	50mm	PSBEND-050-T16	
S Bends Flanged T16	80mm	PSBEND-080-T16	
S Bends Flanged T16	100mm	PSBEND-100-T16	



FLEXiVALVE LDO (Open Frame) Pinch Valve Natural Rubber

Description	Size	Stock Code	Weight PN10 / PN16	PN10	Sleeve Only PN10	PN16	Sleeve Only PN16
FLEXiVALVE HDE (Heavy Duty Enclosed) Pinch Valve Natural Rubber	DN100	PVFO100					
	DN125	PVFO125					
	DN150	PVFO150					
	DN200	PVFO200					
	DN250	PVFO250					
Mechanical Assistance Required	DN300	PVFO300					
	DN350	PVFO350					
	DN400	PVFO400					
	DN450	PVFO450					
	DN500	PVFO500					
	DN600	PVFO600					



FLEXiVALVE HDE (Heavy Duty Enclosed) Pinch Valve Natural Rubber

Description	Size	Stock Code	Weight PN16 / PN25 / PN40	PN10	PN16	PN25	PN40
FLEXiVALVE HDE (Heavy Duty Enclosed) Pinch Valve Natural Rubber	DN100	PVFBV100					
	DN125	PVFBV125					
	DN150	PVFBV150					
	DN200	PVFBV200					
	DN250	PVFBV250					
Mechanical Assistance Required	DN300	PVFBV300					
	DN350	PVFBV350					
	DN400	PVFBV400					
	DN450	PVFBV450					
	DN500	PVFBV500					
	DN600	PVFBV600					



FLEXiVALVE HDE (Heavy Duty Enclosed) Pinch Valve Natural Rubber

Description	Size	Stock Code	PN10	PN16	PN25	PN40
FLEXiVALVE HDE (Heavy Duty Enclosed) Pinch Valve Natural Rubber Spare sleeves	DN100	PVFBVSNR100				
	DN125	PVFBVSNR125				
	DN150	PVFBVSNR150				
	DN200	PVFBVSNR200				
	DN250	PVFBVSNR250				
	DN300	PVFBVSNR300				
	DN350	PVFBVSNR350				
	DN400	PVFBVSNR400				
	DN450	PVFBVSNR450				
	DN500	PVFBVSNR500				
	DN600	PVFBVSNR600			POA	POA



Notes:

Mechanical assistance will be required for valves larger than 300mm, Please consult .
For actuated valves use a & add Actuator price. Please consult for thrust figures and actuator pricing.
For hydraulic and Pneumatic actuated valves, Please consult Engineering
RR, N, E, BN & NP sleeve pricing available on request.

Grooved Flexible Couplings

Description	Size	Stock Code	Weight	Painted	Galvanised
Grooved Flexible Coupling	50mm	FVGRG-050	1.06		
	80mm	FVGRG-080	1.44		
	100mm	FVGRG-100	2.2		
	150mm	FVGRG-150	3.44		
	200mm	FVGRG-200	6.7		
	250mm	FVGRG-250	7.7		
	300mm	FVGRG-300	9		



Butterfly Valve Wafer Type FM and UL Approved

Description	Size	Stock Code	Weight	
Wafer Butterfly Valve Gearbox Operated, Monitored, FM and UL Approved 300psi	50mm	BVDIN/FM/UL050	8.5	
	65mm	BVDIN/FM/UL065	9	
	80mm	BVDIN/FM/UL080	9	
	100mm	BVDIN/FM/UL100	11	
	125mm	BVDIN/FM/UL125	12	
	150mm	BVDIN/FM/UL150	15	
	200mm	BVDIN/FM/UL200	27	
	250mm	BVDIN/FM/UL250	57	
	300mm	BVDIN/FM/UL300	62	



Resilient Seated Gate Valve - Rising Spindle FM and UL Approved

Description	Size	Stock Code	Weight	
Resilient Seated Gate Valve, FM and UL approved, OS&Y, Epoxy coated red, 300psi	50mm	RSVRFM/UL050	18	
	65mm	RSVRFM/UL065	21	
	80mm	RSVRFM/UL080	27.5	
	100mm	RSVRFM/UL100	34.5	
	125mm	RSVRFM/UL125	49	
	150mm	RSVRFM/UL150	59	
	200mm	RSVRFM/UL200	96	
	250mm	RSVRFM/UL250	142	
	300mm	RSVRFM/UL300	193	



HDPE Couplings

Description	Size	Stock Code	Weight	Painted	Galvanised
HDPE Coupling	100mm		5.7		
	150mm		7.4		
	200mm		12.2		
	250mm		17.2		
	300mm		21.7		



ntrol Valves

Basic Valve with Brass Sagiv & Pressure Reducing/Sustaining Pilot

Description	Size		Stock Code	Weight	
Basic Valve with Brass Sagiv & Pressure Reducing/Sustaining Pilot	50mm	Screwed	CVMS-BP-050	3.9	
	80mm		CVMS-BP-080	10	
	80mm	Flanged	CVMF-BP-080	14.6	
	100mm		CVMF-BP-100	20	



Basic Valve with Brass Sagiv

Description	Size		Stock Code	Weight	
Basic Valve with Brass Sagiv	50mm	Screwed	CVMS-B-050	3.9	
	80mm		CVMS-B-080	10	
	80mm	Flanged	CVMF-B-080	14.6	
	100mm		CVMF-B-100	20	



Basic Valve with 3-Way Solenoid Valve

Description	Size		Stock Code	Weight	
Basic Valve with 3-Way Solenoid Valve	50mm	Screwed	CVMS-S-050	3.9	
	80mm		CVMS-S-080	10	
	80mm	Flanged	CVMF-S-080	14.6	
	100mm		CVMF-S-100	20	



Basic Valve with Brass Sagiv & 3-Way Solenoid Valve

Description	Size		Stock Code	Weight	
Basic Valve with Brass Sagiv & 3-Way Solenoid Valve	50mm	Screwed	CVMS-BS-050	3.9	
	80mm		CVMS-BS-080	10	
	80mm	Flanged	CVMF-BS-080	14.6	
	100mm		CVMF-BS-100	20	



Basic Valve with 3-Way Solenoid Valve & Pressure Reducing/Sustaining Pilot

Description	Size		Stock Code	Weight	
Basic Valve with 3-Way Solenoid Valve & Pressure Reducing/Sustaining Pilot	50mm	Screwed	CVMS-SP-050	3.9	
	80mm		CVMS-SP-080	10	
	80mm	Flanged	CVMF-SP-080	14.6	
	100mm		CVMF-SP-100	20	



Basic Valve with Brass Sagiv, 3-Way Solenoid Valve & Pressure Reducing/Sustaining Pilot

Description	Size		Stock Code	Weight	
Basic Valve with Brass Sagiv, 3-Way Solenoid Valve & Pressure Reducing/Sustaining Pilot	50mm	Screwed	CVMS-BSP-050	3.9	
	80mm		CVMS-BSP-080	10	
	80mm	Flanged	CVMF-BSP-080	14.6	
	100mm		CVMF-BSP-100	20	



Basic Valve with Brass Sagiv, Pressure Reducing & Sustaining Pilot

Description	Size		Stock Code	Weight	
Basic Valve with Brass Sagiv, 3-Way Solenoid Valve & Pressure Reducing/Sustaining Pilot	50mm	Screwed	CVMS-BSP2-050	3.9	
	80mm		CVMS-BSP2-080	10	
	80mm	Flanged	CVMF-BSP2-080	14.6	
	100mm		CVMF-BSP2-100	20	



Basic Valve with Level Control

Description	Size		Stock Code	Weight	
Basic Valve with level control float (Attached or detached)	50mm	Screwed	CVMS-LC-050	3.9	
	80mm		CVMS-LC-080	10	
	80mm	Flanged	CVMF-LC-080	14.6	
	100mm		CVMF-LC-100	20	



Macey Control Valve - Accessories

Description	Size	
Diaphragm	50mm	
	80mm	
	100mm	
Diaphragm Spring	50mm	
	80mm & 100mm	
Plastic Retainer	50mm, 80mm & 100mm	
A2 Stainless Steel Bolt Set	50mm	
	80mm	
	100mm	
Brass Mechanical Throttle	50mm	
	80mm & 100mm	
Dial Pressure Gauge (PN10)	63mm	
Plastic Union Elbow	8 x 8	
Plastic Male Elbow	1/4" x 4mm	
	1/4" x 8mm	
Plastic Union Tee	8 x 8 x 8	
Plastic Male Branch Tee	8 x 1/8" x 8mm	
	8 x 1/4" x 8mm	
Plastic Plug	1/8"	
	1/4"	
Plastic Union	8mm	
Plastic Male Connector	1/8" x 8mm	
	1/4" x 8mm	
Plastic Finger Filter	Short 1/4" x 1/8"	
	Long 1/4" x 1/8"	
Brass Finger Filter	Long 1/4" x 1/8"	
Brass 3-Way Selector (SAGIV)	1/8" x 1/4"	
Plastic 3-Way Selector (SAGIV)	1/8" x 1/4"	
3-Way Universal Pilot Valve	1/8"	
3-Way Solenoid Valve	1/8" NO 24V AC 3W	
	1/8" NC 24V AC 3W	
3-Way Latch Solenoid Valve	1/8" NO 12V DC 3W	
	1/8" NC 12V DC 3W	

